

## ZK IP 44 - Cable connector enclosure

HOME > CATEGORIES > STEERING CABINETS > ZK IP 44 - CABLE CONNECTOR ENCLOSURE

ZK - is a standing enclosure, designed for cable connectors, measuring or building switchgears.

Type	Corrosivity category	Material / additional description	Coating
ZK-ZN	C3	galvanized steel sheet	RAL7035
ZK-AL	C3*	aluminum sheet	RAL7035

### GENERAL INFORMATION:

- Ingress protection according to IP code: 44
- Impact resistance according to IK code: 10
- Operating temperature range: -40 - +80°C

### BASIC DATA:

- Body: monobloc type, welded, riveted roof
- Closure: hinged door with 90° opening angle; the possibility of independent change of the door opening direction
- Mounting plate: in each version is made of 2 mm thick galvanized steel sheet; mounted on perforated brackets
- Cable entry: without bottom panel, with the possibility of mounting a blank cover
- Grounding: threaded grounding studs in the door and enclosure body

### ADDITIONAL OPTIONS:

- Unusual dimensions
- Punching in the door, body or mounting plate
- Painting to any color according to the RAL palette


### GALERIA PRODUKTU WRAZ Z PRZYKŁADOWYMI REALIZACJAMI



## DOCUMENTS

 [CATALOGUE CARD](#) Kliknij aby pobrać

 [Declaration of compliance for Radiolex products](#) Kliknij aby pobrać

 [Powder coatings maintenance instructions](#) Kliknij aby pobrać

## The following table presents empty enclosures

No.	Dimensions (width x height x depth, mm)	No. of chambers	Catalogue No. ZK-ZN	Catalogue No. ZK-AL
1	ZK1 - 400 × 600 × 250	1	300-001	301-001
2	ZK1-W - 400 × 800 × 250	1	300-002	301-002
3	ZK1-P - 400 × 1200 × 250	2	300-003	301-003
4	ZK2 - 600 × 600 × 250	1	300-004	301-004
5	ZK2-W - 600 × 800 × 250	1	300-005	301-005
6	ZK2-P - 600 × 1200 × 250	2	300-006	301-006
7	ZK3 - 850 × 600 × 250	1	300-007	301-007
8	ZK3-W - 850 × 800 × 250	1	300-008	301-008
9	ZK3-P - 850 × 1200 × 250	2	300-009	301-009

