

CONVECTION HEATERS

HOME > CATEGORIES > VENTILATION, HEATING AND LIGHTING OF CABINETS > CONVECTION HEATERS


Convection heaters prevent condensation in control cabinets. The new LOOP series allows you to control the temperature faster. Innovative figure-eight connectors reduce assembly time by 50%. The connectors provide constant voltage, which increases safety. The LOOP profile guarantees even heat distribution. The heaters are durable, shock-resistant and guarantee a long service life.

• Thanks to modern technology, LOOP heaters are ideal for various industrial applications.

- High quality materials ensure that the heaters are resistant to various environmental conditions.
- Users appreciate the ease of installation and long-term reliability of operation.
- The design of the heaters has been designed for maximum efficiency and minimum energy consumption.
- Advanced safety features protect against overheating and other potential problems.
- Thanks to their compact size, LOOP heaters easily fit into most control cabinets, which makes them a universal solution for many industries.

GALERIA PRODUKTU WRAZ Z PRZYKŁADOWYMI REALIZACJAMI





No.	Name	Heating capacity	Starting current (max.)	Catalog number
1	LTS 064	20 W	2.0 A	5.06401.0-00
2	LTS 064	30 W	2.0 A	5.06402.0-00
3	LTS 064	40 W	4.0 A	5.06403.0-00
4	LPS 164	10 W	2.0 A	5.16400.0-00
5	LPS 164	20 W	2.0 A	5.16401.0-00
6	LPS 164	30 W	2.0 A	5.16402.0-00
7	LPS 164	40 W	4.0 A	5.16403.0-00
8	LPS 164	50 W	4.0 A	5.16404.0-00
9	LPS 164	10 W	2.0 A	5.16400.9-00
10	LPS 164	20 W	2.0 A	5.16401.9-00
11	LPS 164	30 W	2.0 A	5.16402.9-00
12	LPS 164	40 W	4.0 A	5.16403.9-00
13	LPS 164	50 W	4.0 A	5.16404.9-00
14	LP 165	60 W	4.0 A	5.16501.0-00
15	LP 165	75 W	4.0 A	5.16502.0-00
16	LP 165	100 W	6.0 A	5.16503.0-00
17	LP 165	150 W	8.0 A	5.16504.0-00
18	LT 065	50 W	4.0 A	5.06500.0-00
19	LT 065	100 W	6.0 A	5.06503.0-00
20	LT 065	150 W	8.0 A	5.06504.0-00
21	LTF 065	50 W	4.0 A	5.06510.0-00
22	LTF 065	100 W	6.0 A	5.06513.0-00
23	LTF 065	150 W	8.0 A	5.06514.0-00
24	LTF 065	50 W	4.0 A	5.06520.0-00
25	LTF 065	100 W	6.0 A	5.06523.0-00
26	LTF 065	150 W	8.0 A	5.06524.0-00