

Heater - special design Ex CREX 020 (T5)


HOME > CATEGORIES > HEATERS AND THERMOSTATS EX > ATEX ZONE > HEATER - SPECIAL DESIGN EX CREX 020 (T5)

Compact convection heater of temperature class T5 (100 °C max.) for explosion hazard zones. Prevents condensate formation, temperature changes and freezing. Applied in casings of measurement transducers and cubicles.

CREX 020

- For explosion hazard zones
- Large surface of heat convection
- Installation on a rail or using bolts
- Ready for connection
- Maintenance-free
- Temperature class T5

GALERIA PRODUKTU WRAZ Z PRZYKŁADOWYMI REALIZACJAMI



DOCUMENTS



CATALOGUE CARD [Kliknij aby pobrać](#)

No. Description**Catalogue No.**

1	Heater EX type CREx 020 AC 230V, 50W, temp. class T5, installed using clips	5.02051.0-00
2	Heater EX type CREx 020 AC 230V, 50W, temp. class T5, installed using bolts	5.02051.0-10
3	Heater EX type CREx 020 AC 230V, 100W, temp. class T5, installed using bolts	5.02052.0-10
4	Heater EX type CREx 020 AC 120V, 50W, temp. class T5, installed using clips	5.02051.9-00
5	Heater EX type CREx 020 AC 120V, 50W, temp. class T5, installed using bolts	5.02051.9-10
6	Heater EX type CREx 020 AC 120V, 100W, temp. class T5, installed using bolts	5.02052.9-10

