

MBC CS - Plinth

HOME > CATEGORIES > CONTROL CONSOLES > MBC-CS - PLINTH

MBC-CS - Lower console module, used to position the base at the correct height. The plinth comes in three depth versions, which are defined as: SLIM, STANDARD, FAT and in three versions for free-standing or angled placement.

Type	Corrosivity class	Material	Coating
MBC-CS	C2	sheet steel	RAL7015
MBC-CS-OH	C4	stainless steel 1.4301 (AISI 304)	SZLIF
MBC-CS-KO	C5	stainless steel 1.4404 (AISI 316L)	SZLIF

GENERAL INFORMATION:

- Impact resistance according to IK code: 10
- Operating temperature range: -20 to +80 °C

DEPTH TYPES:

- SLIM - 250 mm
- STANDARD - 500 mm
- FAT - 700 mm

TYPES OF SETTING TYPES:

- MBC-CS - Plinth, simple installation
- MBC-CS-L - Plinth, wedge angle 30 degrees
- MBC-CS-LL - Plinth, wedge angle 45 degrees

BASIC DATA:

- Construction: welded
- Mounting: holes for anchoring to the ground
- Grounding: There are threaded grounding studs in the cover and base body

ADDITIONAL OPTIONS:

- Installation on vibration isolators
- **EMC**

version

- Increase in operating temperature in the range from **-50** to **+120 °C**
- Atypical dimensions
- Painting in any color according to the RAL palette

GALERIA PRODUKTU WRAZ Z PRZYKŁADOWYMI REALIZACJAMI



MBC-CS - Plinth, straight alignment

No.	Dimensions (W x H x D, mm)	Type	Catalogue number MBC-CS	Catalogue number MBC-CS-OH	Catalogue number MBC-CS-KO
1	800 x 50 x 250	SLIM	703-001	703-101	703-201
2	1000 x 50 x 250	SLIM	703-002	703-102	703-202
3	1200 x 50 x 250	SLIM	703-003	703-103	703-203
4	600 x 50 x 500	STANDARD	703-004	703-104	703-204
5	800 x 50 x 500	STANDARD	703-005	703-105	703-205
6	1000 x 50 x 500	STANDARD	703-006	703-106	703-206
7	1200 x 50 x 500	STANDARD	703-007	703-107	703-207
8	1400 x 50 x 500	STANDARD	703-008	703-108	703-208
9	600 x 50 x 700	FAT	703-009	703-109	703-209
10	800 x 50 x 700	FAT	703-010	703-110	703-210
11	1000 x 50 x 700	FAT	703-011	703-111	703-211
12	1200 x 50 x 700	FAT	703-012	703-112	703-212
13	1400 x 50 x 700	FAT	703-013	703-113	703-213
14	800 x 100 x 250	SLIM	703-014	703-114	703-214
15	1000 x 100 x 250	SLIM	703-015	703-115	703-215
16	1200 x 100 x 250	SLIM	703-016	703-116	703-216
17	600 x 100 x 500	STANDARD	703-017	703-117	703-217
18	800 x 100 x 500	STANDARD	703-018	703-118	703-218
19	1000 x 100 x 500	STANDARD	703-019	703-119	703-219
20	1200 x 100 x 500	STANDARD	703-020	703-120	703-220
21	1400 x 100 x 500	STANDARD	703-021	703-121	703-221
22	600 x 100 x 700	FAT	703-22	703-122	703-222
23	800 x 100 x 700	FAT	703-023	703-123	703-223
24	1000 x 100 x 700	FAT	703-024	703-124	703-224
25	1200 x 100 x 700	FAT	703-025	703-125	703-225
26	1400 x 100 x 700	FAT	703-026	703-126	703-226
27	800 x 260 x 250	SLIM	703-027	703-127	703-227
28	1000 x 260 x 250	SLIM	703-028	703-128	703-228
29	1200 x 260 x 250	SLIM	703-029	703-129	703-229
30	600 x 260 x 500	STANDARD	703-030	703-130	703-230
31	800 x 260 x 500	STANDARD	703-031	703-131	703-231
32	1000 x 260 x 500	STANDARD	703-032	703-132	703-232
33	1200 x 260 x 500	STANDARD	703-033	703-133	703-233
34	1400 x 260 x 500	STANDARD	703-035	703-134	703-234
35	600 x 260 x 700	FAT	703-034	703-135	703-235
36	800 x 260 x 700	FAT	703-036	703-136	703-236
37	1000 x 260 x 700	FAT	703-037	703-137	703-237
38	1200 x 260 x 700	FAT	703-038	703-138	703-238
39	1400 x 260 x 700	FAT	703-039	703-139	703-239

MBC-CS-L - Plinth, wedge angle 30 degrees

No.	Dimensions (W × H × D, mm)	Type	Catalogue number MBC-CS-L	Catalogue number MBC-CS-L-OH	Catalogue number MBC-CS-L-OH
1	588 × 50 × 484	STANDARD	703-040	703-140	703-240
2	691 × 50 × 676	FAT	703-041	703-141	703-241
3	588 × 100 × 484	STANDARD	703-042	703-142	703-242
4	691 × 100 × 676	FAT	703-043	703-143	703-243
5	588 × 260 × 484	STANDARD	703-044	703-144	703-244
6	691 × 260 × 676	FAT	703-045	703-145	703-245