

# MBC P – Base with cover

HOME > CATEGORIES > CONTROL CONSOLES > MBC-P – BASE WITH COVER

MBC-P – Vertical console base assembly module. It is the core on which the screen panel is placed and the desktop is attached. The height can be adjusted with an optional pedestal. The base is available in three depth versions, called: SLIM, STANDARD, FAT, and in seven versions for free-standing or serial installation. The leading color of the base is RAL7015, and the ventilation covers are RAL2004.

| Type     | Corrosion class | Material/additional description         | Shell   |
|----------|-----------------|---|---------|
| MBC-P    | C2              | steel plate                             | RAL7015 |
| MBC-P-OH | C4              | stainless steel 1.4301 (AISI 304)       | RAL7015 |
| MBC-P-KO | C5              | acid-resistant steel 1.4404 (AISI 316L) | RAL7015 |

## GENERAL INFORMATION:

- Tightness according to IP code: 20
- Impact resistance according to IK code: 10
- Operating temperature range: -40 to +80 °C

## DEPTH TYPES:

- SLIM – 250 mm
- STANDARD – 500 mm
- FAT – 700 mm

## TYPES OF SETTING TYPES:

- MBC-P-S – Base with cover, free-standing, SLIM
- MBC-P-Z – Base with cover, free-standing, closed sides
- MBC-P-W – Base with cover, internal for serial connection, open sides
- MBC-P-ZL – Base with cover, leftmost for closing the row, left side closed
- MBC-P-ZP – Base with cover, rightmost, for closing a row, right side closed
- MBC-P-L – Base with cover, wedge angle 30 degrees
- MBC-P-LL – Base with cover, wedge angle 45 degrees

## BASIC DATA:

- Construction: welded
- Closure: front cover with two fasteners
- Internal equipment: two shelves made of galvanized sheet metal, adjustable height
- Cable entry: open space at the bottom
- Grounding: There are threaded grounding studs in the cover and base body

#### ADDITIONAL OPTIONS:

- Various color options for highlights
- Installation on vibration isolators
- **EMC**

version

- Increased tightness to **IP 66**
- Increase in operating temperature in the range from **-50** to **+120 °C**
- Atypical dimensions
- Opening in the cover, body
- Painting in any color according to the RAL palette

#### GALERIA PRODUKTU WRAZ Z PRZYKŁADOWYMI REALIZACJAMI



## MBC-P-S - Base with cover, free-standing, SLIM

| No. | Dimensions<br>(width × height × depth, mm) | Type | Catalog number<br>MBC-P-KO | Catalog number<br>MBC-P-OH | Catalog number<br>MBC-P-KO |
|-----|--|------|----------------------------|----------------------------|----------------------------|
| 1   | 800 × 585 × 250                            | SLIM | 701-001                    | 701-101                    | 701-201                    |
| 2   | 1000 × 585 × 250                           | SLIM | 701-002                    | 701-102                    | 701-202                    |
| 3   | 1200 × 585 × 250                           | SLIM | 701-003                    | 701-103                    | 701-203                    |

## MBC-P-Z - Base with cover, free-standing, closed sides

| No. | Dimensions<br>(width × height × depth, mm) | Type     | Catalog number<br>MBC-P-Z | Catalog number<br>MBC-P-Z-OH | Catalog number<br>MBC-P-Z-KO |
|-----|--|----------|---------------------------|------------------------------|------------------------------|
| 1   | 600 × 585 × 500                            | STANDARD | 701-004                   | 701-104                      | 701-204                      |
| 2   | 800 × 585 × 500                            | STANDARD | 701-005                   | 701-105                      | 701-205                      |
| 3   | 1000 × 585 × 500                           | STANDARD | 701-006                   | 701-106                      | 701-206                      |
| 4   | 1200 × 585 × 500                           | STANDARD | 701-007                   | 701-107                      | 701-207                      |
| 5   | 1400 × 585 × 500                           | STANDARD | 701-008                   | 701-108                      | 701-208                      |
| 6   | 600 × 585 × 700                            | FAT      | 701-009                   | 701-109                      | 701-209                      |
| 7   | 800 × 585 × 700                            | FAT      | 701-010                   | 701-110                      | 701-210                      |
| 8   | 1000 × 585 × 700                           | FAT      | 701-011                   | 701-111                      | 701-211                      |
| 9   | 1200 × 585 × 700                           | FAT      | 701-012                   | 701-112                      | 701-212                      |
| 10  | 1400 × 585 × 700                           | FAT      | 701-013                   | 701-113                      | 701-213                      |