

## Pleaux, France

HOME > CATEGORIES > COMPLETED PROJECTS > PLEAUX, FRANCE

Control cabinet for a 40MVA power transformer. The realisation was made for one of the world's global electrical companies.

Supply voltage: 3x230V AC

Control voltage: 24V AC

Rated current: 63A

Standard: French

Protection class: IP55 enclosure

**IMPLEMENTATION DATE: JANUARY 2019**

### Switchboard:

**Dimensions:**1000mm x 1200mm x 400mm

**Type:**RSB-OH – free-standing housing made of stainless steel. According to the client's needs, a gable roof was designed.

**Color:**RAL7047

**Manufacturer:**Radiolex

125-031.005 – **RSB-OH-1000\*1200\*400** – Free-standing housing, material: stainless steel – manufacturer Radiolex

### ABB equipment used:

1SAM250000R1006 – **MS116 - 1.6** – Motor switch 3P 0.55kW 1-1.6A

1SBL177001R1110 – **AF 16-30-10-11** – Power contactor 18A 3P 7.5kW

1SBN010140R1122 - **CA4-22 M** - Auxiliary contact for contactor

2CCA703050R0001 - **E218-16-11** - Modular switch 16A 250V AC

2CSM110000R0711 - **M1174** - Rail socket

### Stego equipment used:

5.01140.0-00 —**KTO-011**- Termostat 1NC, 0 to +60°C

5.02527.0-00 - **SL025** - Slimline SL series lamp 230V 11W

5.14007.0-00 - **HG140** - Semiconductor heater AC/DC 110-250V, 100W

### Apparatus from other manufacturers used:

16024-9994 - **PSS 50 230/24V** - 1-phase modular transformer manufactured by Breve

4G10-56-PK - **4G10-56-PK** - Cam switch 0-1 3P 10A manufactured by Apator

4G63-273-PK - **4G63-273-PK** - Cam switch 0-1 4P 63A manufactured by Apator

ZI-14 - **ZI-14** - Pulse stabilizer manufactured by F&F

## GALERIA PRODUKTU WRAZ Z PRZYKŁADOWYMI REALIZACJAMI





