

## Recessed enclosure - RWX IP 32

HOME > CATEGORIES > RECESSED ENCLOSURE - RWX IP 32

RWX – is an enclosure designed for installation of electrotechnical equipment in the form of modular devices or electricity meters. The standard offer includes empty, modular or meter enclosures in wall-mounted or standing versions. Tables with catalogue numbers are available on the following pages of the catalogue.

Type	Corrosivity category	Material / additional description	Coating
RWX-P	C2	steel sheet / empty enclosure	RAL7035
RWX-M	C2	steel sheet / modular enclosure	RAL7035
RWX-L	C2	steel sheet / meter enclosure	RAL7035

### GENERAL INFORMATION:

- Ingress protection according to IP code: 32
- Impact resistance according to IK code: 10
- Operating temperature range: –30 – +80°C

### BASIC DATA:

- Body: monobloc type, welded; without rear panel
- Closure: hinged door with 105° opening angle; the possibility of independent change of the door opening direction; in wall-mounted version two D5 locks, in standing version the lock in the form of a handle with the possibility of mounting a latch insert with a key
- Cable entry: there is a gland plate in the bottom, its dimensions depend on the width of the enclosure
- Grounding: threaded grounding studs in the door and enclosure body

### ADDITIONAL OPTIONS:

- Unusual dimensions and internal configuration
- Painting to any color according to the RAL palette

### GALERIA PRODUKTU WRAZ Z PRZYKŁADOWYMI REALIZACJAMI



Table with 4 columns and 6 rows. Columns are labeled 300, 500, 700, 1100. Rows are labeled 400, 600, 800, 1000, 1200, 1400. The table contains technical specifications for various configurations.

Table with 4 columns and 6 rows. Columns are labeled 300, 500, 700, 1100. Rows are labeled 400, 600, 800, 1000, 1200, 1400. The table contains technical specifications for various configurations.

Table with 4 columns and 6 rows. Columns are labeled 300, 500, 700, 1100. Rows are labeled 400, 600, 800, 1000, 1200, 1400. The table contains technical specifications for various configurations.

Table with 4 columns and 6 rows. Columns are labeled 300, 500, 700, 1100. Rows are labeled 400, 600, 800, 1000, 1200, 1400. The table contains technical specifications for various configurations.

## DATA SHEET

## DOCUMENTS

 [Declaration of compliance for Radiolex products Kliknij aby pobrać](#)

## The following table presents wall-mounted enclosures

No.	Dimensions (width x height x depth, mm)	Catalogue No.	Catalogue No.	Catalogue No.
		RWX-P	RWX-M	RWX-L
1	350 × 400 × 150	200-001	201-001	-
2	350 × 400 × 250	200-002	201-002	-
3	350 × 600 × 150	200-003	201-003	-
4	350 × 800 × 250	200-004	201-004	-
5	350 × 880 × 250	200-005	201-005	-
6	550 × 400 × 150	200-006	201-006	-
7	550 × 400 × 250	200-007	201-007	-
8	550 × 600 × 150	200-008	201-008	-
9	550 × 600 × 250	200-008	201-009	-
10	550 × 800 × 150	200-010	201-010	-
11	550 × 800 × 250	200-011	201-011	202-011
12	550 × 1000 × 150	200-012	201-012	-
13	550 × 1000 × 250	200-013	201-013	202-013
14	550 × 1000 × 300	200-014	201-014	202-014
15	550 × 1200 × 250	200-015	201-015	202-015
16	550 × 1200 × 300	200-016	201-016	202-016
17	550 × 1400 × 300	200-017	201-017	202-017
18	550 × 1400 × 300	200-018	201-018	202-018
19	750 × 800 × 250	200-019	201-019	-
20	750 × 800 × 250	200-020	201-020	202-020
21	750 × 800 × 300	200-021	201-021	202-021
22	750 × 1000 × 250	200-022	201-022	202-022
23	750 × 1000 × 300	200-023	201-023	202-023
24	750 × 1200 × 250	200-024	201-024	202-024
25	750 × 1200 × 300	200-025	201-025	202-025
26	750 × 1400 × 250	200-026	201-026	202-026
27	750 × 1400 × 300	200-027	201-027	202-027
28	950 × 1000 × 150	200-028	201-028	-
29	950 × 1000 × 250	200-029	201-029	202-029
30	950 × 1200 × 250	200-030	201-030	202-030
31	950 × 1200 × 250	200-031	201-031	202-031
32	950 × 1200 × 300	200-032	201-032	202-032
33	950 × 1400 × 250	200-033	201-033	202-033
34	950 × 1400 × 300	200-034	201-034	202-034
35	1150 × 1200 × 150	200-035	201-035	-
36	1150 × 1200 × 300	200-036	201-036	202-036
37	1150 × 1200 × 300	200-037	201-037	202-037
38	1150 × 1400 × 250	200-038	201-038	202-038
39	1150 × 1400 × 300	200-039	201-039	202-039

## The following table presents standing enclosures.

No.	Dimensions (width x height x depth, mm)	Catalogue No.	Catalogue No.	Catalogue No.
		RWX-P	RWX-M	RWX-L
1	350 × 1600 × 250	200-040	201-040	202-040
2	350 × 1600 × 300	200-041	201-041	202-041
3	350 × 1800 × 250	200-042	201-042	202-042
4	350 × 1800 × 300	200-043	201-043	202-043
5	350 × 2000 × 250	200-044	201-044	202-044
6	350 × 2000 × 300	200-045	201-045	202-045
7	350 × 2000 × 400	200-046	201-046	202-046
8	550 × 1600 × 250	200-047	201-047	202-047
9	550 × 1600 × 300	200-048	201-048	202-048
10	550 × 1800 × 250	200-049	201-049	202-049
11	550 × 1800 × 300	200-050	201-050	202-050
12	550 × 1800 × 400	200-051	201-051	202-051
13	550 × 2000 × 250	200-052	201-052	202-042
14	550 × 2000 × 300	200-053	201-053	202-053
15	550 × 2000 × 400	200-054	201-054	202-054
16	750 × 1600 × 250	200-055	201-055	202-055
17	750 × 1600 × 300	200-056	201-056	202-056
18	750 × 1800 × 250	200-057	201-057	202-057
19	750 × 1800 × 300	200-058	201-058	202-058
20	750 × 1800 × 400	200-059	201-059	202-059
21	750 × 2000 × 250	200-060	201-060	202-060
22	750 × 2000 × 300	200-061	201-061	202-061
23	750 × 2000 × 400	200-062	201-062	202-062
24	950 × 1600 × 250	200-063	201-063	202-063
25	950 × 1600 × 300	200-064	201-064	202-064
26	950 × 1800 × 250	200-065	201-065	202-065
27	950 × 1800 × 300	200-066	201-066	202-066
28	950 × 1800 × 400	200-067	201-067	202-067
29	950 × 2000 × 250	200-068	201-068	202-068
30	950 × 2000 × 300	200-069	201-069	202-069
31	950 × 2000 × 400	200-070	201-070	202-070
32	1150 × 1600 × 250	200-071	201-071	202-071
33	1150 × 1600 × 300	200-072	201-072	202-072
34	1150 × 1800 × 250	200-073	201-073	202-073
35	1150 × 1800 × 300	200-074	201-074	202-074
36	1150 × 1800 × 400	200-075	201-075	202-075
37	1150 × 2000 × 250	200-076	201-076	202-076
38	1150 × 2000 × 300	200-077	201-077	202-077
39	1150 × 2000 × 400	200-078	201-078	202-078