



Roof for STL enclosures

HOME > CATEGORIES > ROOF FOR STL ENCLOSURES

Used to cover the top plate, fixed with four bushings. Made of 1.2 mm thick steel sheet, powder-coated in RAL7035_GS, while the roof for the STL-SE enclosure is painted in RAL9005_DS.

GALERIA PRODUKTU WRAZ Z PRZYKŁADOWYMI REALIZACJAMI



Roof for STL-19" enclosure

No. Description - enclosure dimensions Catalogue no.
(W × D, mm)

1	Basic solid roof - 800 × 1000	498-001
2	Basic solid roof - 800 × 800	498-002
3	Basic solid roof - 800 × 600	498-003
4	Basic solid roof - 600 × 1000	498-004
5	Basic solid roof - 600 × 800	498-005
6	Basic solid roof - 600 × 600	498-006
7	Roof with brush pass - 800 × 1000	498-007
8	Roof with brush pass - 800 × 800	498-008
9	Roof with brush pass - 800 × 600	498-009
10	Roof with brush pass - 600 × 1000	498-010
11	Roof with brush pass - 600 × 800	498-011
12	Roof with brush pass - 600 × 600	498-012
13	Roof with choker plate - 800 × 1000	498-013
14	Roof with choker plate - 800 × 800	498-014
15	Roof with choker plate - 800 × 600	498-015
16	Roof with choker plate - 600 × 1000	498-016
17	Roof with choker plate - 600 × 800	498-017
18	Roof with choker plate - 600 × 600	498-018

Roof for STL-SE-19" enclosure

No. Description - enclosure dimensions (W × D, mm) Catalogue no.

1	Basic solid roof - 800 × 1200	498-019
2	Basic solid roof - 800 × 1000	498-020
3	Basic solid roof - 600 × 1200	498-021
4	Basic solid roof - 600 × 1000	498-022
5	Roof with brush pass - 800 × 1200	498-023
6	Roof with brush pass - 800 × 1000	498-024
7	Roof with brush pass - 600 × 1200	498-025
8	Roof with brush pass - 600 × 1000	498-026
9	Roof with gland plate - 800 × 1200	498-027
10	Roof with gland plate - 800 × 1000	498-028
11	Roof with gland plate - 600 × 1200	498-029
12	Roof with gland plate - 600 × 1000	498-030