

## SKINTOP® INOX SC

HOME > CATEGORIES > HYGENIC ZONE > SKINTOP® INOX SC

SKINTOP® INOX EMC, cable gland resistant to corrosion of stainless steel with smooth surfaces, compact design, resistant to sea water.

Version of stainless steel of compact design.

Optimum EMC protection.

### BENEFITS

- Smooth surfaces – without sharp edges
- Compact design
- Significant, varying clamping ranges
- Low resistance of screen contact, optimum EMC protection
- Highly conductive, flexible EMC spring contacts, allowing for easy installation of screens of various diameters.

### SCOPE OF APPLICATION

- To provide electromagnetic compatibility during screen earthing with copper twisted-pair or copper strip wrapping.
- Pharmaceutical industry
- Food industry (zone without products, spraying zone)
- On- and off-shore applications
- Bottling plants and breweries

### STANDARDS AND APPROVALS

- DIN EN ISO 14 159 Machines safety, hygienic requirements concerning machines construction
- DIN EN 1672-2 Machines design guidelines
- ECOLAB® Industrial standard for innovative and effective cleaning and disinfection of production lines.

### PRODUCT DESIGN

- Metric connecting thread acc. to DIN EN 60423

- Basic technical information DIN IEC 62444

## NOTE

- In case of lacquered, anodic or powder painted housing, use our safety nuts SKINDICHT® SM-PE to provide proper contact.
- Matching complementing elements - see metric accessories SKINTOP®

## GALERIA PRODUKTU WRAZ Z PRZYKŁADOWYMI REALIZACJAMI



No.	Designation product / size	Range and chokes and diameters Ø [mm]	Length<br thread [mm]	Size and key SW [mm]	Length and total C [mm]	Length thread [mm]	Catalogue No
1	M 12 x 1,5	4 - 7	6,5	16	29.3	6,5	53806720
2	M 16 x 1,5	6 - 10	7	20	32.4	7	53806722
3	M 20 x 1,5	7 - 13	8	24	32.4	8	53806724
4	M 25 x 1,5	9 - 17	8	24	39.2	8	53806726
5	M 32 x 1,5	11 - 21	9	36	44.6	9	53806728

